














SEQUIRE-4U

Product	Q ORDER CODE	Price		Build to Application is made available to give distributors flexibility. For Factory Trained distributors only.
 MBS-SA03-01-X	B-09 Basic No Camera	€ 129		B-09 is a Basic Building Block of the Camera unit. It is ONLY; Case & Mounting Bracket (A-27). Requires a selection from of all options The B-09 is the basic unit. Factory Built units shown on Pagina 2 have a minimum order quantity of 10-unit requirement.
1.7 mm Lens MBS-SA03-01-17L	S-01-2 BW	€ 460		S-01-2 BW is a 1.7mm Lens (Fisheye) for large angle/close-up image.
3.3 mm Lens MBS-SA03-01-3L3	S-01-3BW S-01-3C	€ 460		S-01-3 BW is a general Lens suitable for most applications.
6mm Lens MBS-SA03-01-6LT	S-01-6 BW	€ 399		All Cameras with Telephoto Lens shown are either Black/White (Mono) or Colour Lens and the coding after the number BW = Black/White
8 mm Lens MBS-SA03-01-8LT	S-01-8 BW	€ 460		
16mm Lens MBS-SA03-01-16LT	S-01-16 BW	€ 399		
25mm Lens MBS-SA03-01-25LT	S-01-25 BW	€ 399	OEM Only	Not available in Standard Xtern Case
Invisible IR Spot MBS-IIRS-01	A-39	€ 129		Invisible Infrared Spot Illumination has limited distance ~ 3M
Visible IR Spot MBS-VIRS-01	A-40	€ 129		Visible Infrared Spot Illumination has limited distance ~ 6M
Solar Panel MBS-ISPO18--01	A-43	€ 129		Inbuilt Solar Panel assists the battery in standby mode only.
Multi-Purpose Board MBS-MPIB-01	A-44	€ 89		The Multi-Purpose Board is to extend the functionality for in & output signals and alarm panels.
GPRS Modem MBS-G2M-01	A-52	€ 399		The GPRS Modem option gives the camera communication capability.
Power supply board MBS-PS3005-01	A-66	€ 129		Required when Camera is supplied with external power.
Connection Cable	A-90	€ 39		Connection Cable (30cm Long) & Gland for External Power
Assembly Charge	Z-00	€ 79		For Factory Trained Engineers can select to assemble.

SEQUIRE-4U

Product	Q ORDER CODE	Price	
 <p>Outdoor Wireless IR Spotlight MBS-WVIRS-01(B)</p>	<p>W-21 7.5Ah</p>	<p>€ 229</p>	<p>When using this item in conjunction with a Xtern (or Camera Board MBS-SA03-01) it is necessary to have a W-74 installed with the camera.</p>
 <p>Wireless PIR MBS-PWTM-01</p>	<p>W-20 3Ah</p>	<p>€ 229</p>	<p>When using this item in conjunction with a Xtern (or Camera Board MBS-SA03-01) it is necessary to have a W-10 installed with the camera.</p>
<p>Wireless Transceiver</p>  <p>MBS-WTM-01</p>	<p>W-10</p>	<p>€ 99</p>	<p>Transceiver plugs on top of the camera board.</p>
<p>Wireless IR spotlight Transmitter</p>  <p>MBS-PWTM-01</p>	<p>W-74</p>	<p>€ 59</p>	<p>IR Spot light Transmission board is normally mounted in the Xtern where the Solar Panel is located.</p>







SEQUIRE-4U

Product	Q ORDER CODE	Price	
 MBS-BP5-01 7.5Ah	P-19	€ 128	7.5Ah Standard battery in Xtern-Camera units. From experience it is recommended a 2nd Battery is available.
 MBS-RCIR-01	A-12	€ 49	Remote Control is capable of controlling many cameras (any Vidilanz combination). It is possible to have a Vidilanz camera without a remote controller. Consult us.
 MBS-SD8G-01 8GB	A-20	€ 14	Guide: A-25 8GB SD Card holds approximately 130,000 VGA Images or 250,000 QVGA Images.
 MBS-SD2G-01 2GB	A-21	€ 12	Guide: A-21 2GB SD Card holds approximately: 32,000 VGA Images or 65,000 QVGA Images. For information a image generated by a Vidilanz Camera is 50Kb.
 MBS-RSD-01	A-22	€ 10	Simple adapter to take SD Cards and plug in to PC USB Port
 MBS-BC1-02(B)	P-01	€ 78	Complete set comprising 110-240VAC to 5VDC power adapter with Rapid Battery Charger
 MBS-SSD-01	A-24	€ 6	Set up CD - same setup software is used across the complete range of Vidilanz Products.
 MBS-MBW-01	A-27 BLACK	€ 12	Standard Mounting Bracket. However, there are many other ways to attach the Vidilanz Xtern.
 Torque Screw Driver (Base)	A-30	€ 6	This specially designed Screw Driver is for tightening screws that hold the base to the Xtern Case Body






SEQUIRE-4U

Product	Q ORDER CODE	Price	Xtern Cameras are supplied with (unless otherwise stated): 7.5Ah Battery (P-19), 2GB SD Card (A-21), USB Reader (A-22), Mounting Bracket (A-27) & Special Torque Screwdriver (A-28), Remote Control (A-12). Rapid Battery Charger & Power Supply (P-01).
 MBS-SA03-01(XR)	B-01	poa	Standard Xtern with 3.7 Colour Lens & fitted with in built Solar Panel (A-43).
 MBS-SA03-01 BW(XR)	B-02	poa	Standard Xtern with 3.3 Black & White Lens & fitted within built Solar Panel (A-43).
 MBS-SA03-01 BW(VXRSM)W	X-10	poa	Xtern fitted with 3.3mm Black & White Lens, <u>Visible IR Spot</u> , Solar Panel & GPRS Module (A-52). MUST HAVE CONNECTION OPTION
 MBS-SA03-01 BW (IXRSM)W	X-11	poa	Xtern fitted with 3.3mm Black & White Lens, <u>Invisible IR Spot</u> , Solar Panel & GPRS Module (A-52).
 MBS-SA03-01 (XRSM)W	X-12	poa	Xtern fitted with 3.7mm Colour Lens, Solar Panel & GPRS Module (A-52). MUST HAVE CONNECTION OPTION
Dashboard Yearly Subscription		poa	Images are sent to PC and Mobile Phone
FTP Yearly Subscription		poa	Alternative not all functionality as Dashboard
Wireless to Web Yearly Subscription		poa	Images only to Mobile Phone
Check regarding Distributor Pricing			Yearly Subscriptions Renewal 1-month before expire
 MBS-SA03-01(VXRS)	X-14	€ 799	Xtern fitted with 3.3mm Black & White Lens, <u>Visible IR Spot</u> , Solar Panel
 MBS-SA03-01 BW(IXRS)	X-15	€ 799	Xtern fitted with 3.3mm Black & White Lens, <u>Invisible IR Spot</u> , Solar Panel
	8mm	L-49	Hint: When requiring a 8 or 16mm telephoto lens add price shown to any Xtern Camera The requirement and other options impact cost look at <u>B-09 BTA</u>
	16mm	L-50	
		€ 90 ADD	





SEQUIRE-4U

Product	Q ORDER CODE	Price	
 MBS-SA02-04(HR)	I-01C I-01BW	€ 449 € 399	Standard unit (Colour or Black/White Lens) is supplied with 3Ah Battery (P-15), Remote Controller (A-12), 2GB SD Card (A-21), CD Disk (A-24), Battery Charger (P-02), USB-SD Card Reader (A-22)
 MBS-SA02-04(B)	I-02C I-02BW	€ 449 € 399	Standard unit (Colour or Black/White Lens) is supplied with 3Ah Battery (P-15), 2GB SD Card (A-21). Normally installed at location where other I-01C or I-01BW are already in place.
 MBS-SA03-01M(PAT)	S-10 S-10BW	€ 637 € 637	Standard PatrolCam is supplied with 2GB SD Card (A-21) and 0.95Ah battery (P-16). Unit is housed in a Black Leather Case. Unit can only be used in Time Lapse Mode.
 MBS-SSA-03	A-38	€ 144	Unit is prepared to be wired to a I-02C or I-02BW. Unit can also be used with Xtern Cameras with a SA03-01 Camera Board.
 MBS-SA03-01(ER)	Mini-Xtern-Cam	€ 649	Xtern-Cam fitted with 3.7 mm Colour Lens and a 7.5 Ah battery
 MBS-SA06-01(EMW)	Mini-Xtern 3G	€ 949	Xtern-Cam fitted with 3.7 mm Colour Lens, 2G & 3G modem and a 10.35 Ah battery










SEQUIRE-4U

Product	Q ORDER CODE	Price	
 Colour Camera with 3.3mm Lens MBS-SA03-01-xxL(SPMW)	S-30 26Ah	€ 1.206	S-30 Camera unit (3.3mm Lens) mounted in a standard CCTV Housing. Any size lens can be mounted in the Housing. The unit comes as standard with a 26Ah Battery (P-22) .
GPRS Modem MBS-G2M-01	A-52	€ 426	GPRS Modem - Required SIM and relevant APN to allow the stored images on the SD card to be sent to the Dashboard via GPRS.
8 mm Lens MBS-SA03-01-8LT	L-49	€ 55 ADD	 Selection of the correct Telephoto Lens. Requires testing as the size/type of Lens increases the FoV (Field of View) becomes smaller. Expert assistance can be given.
16mm Lens MBS-SA03-01-16LT	L-50	€ 55 ADD	
25mm Lens MBS-SA03-01-25LT	L-51	€ 55 ADD	
Dashboard Yearly Subscription		€ 200	Images are sent to PC and Mobile Phone
FTP Yearly Subscription		€ 200	Alternative not all functionality as Dashboard
Wireless to Web Yearly Subscription		€ 140	Images only to Mobile Phone
Check regarding Distributor Pricing			Yearly Subscriptions Renewal 1-month before expire
 MBS-PWTM-01	W-20	€ 257	When using this item in conjunction with a Xtern (or Camera Board MBS-SA03-01) it is necessary to have a W-74 installed with the camera.
	S-35	€ 149	12 Volt Solar Panel 31.5cm x 16.5cm. Using this option it is necessary to use A-66
Power supply board MBS-PS3005-01	A-66	€ 161	 Required when Camera is supplied with external power.
Wireless Transceiver MBS-WTM-01	W-10	€ 123	 Transceiver plugs via connection cable on top of the camera board.










SEQUIRE-4U

Product	Q ORDER CODE	Price	
	FD-1000 12.5Ah	poa	FD-1000 is fitted with one camera and a 12.5Ah Battery (P-20)
	FD-2000 2x 12.5Ah	poa	Vidilanz Products designed for Public Transport incorporating special features: Battery Level Indicator & Quick (Snap-in) Battery Pack FD-2000 has two cameras and is fitted with FD-2001 Battery Pack and secure key lock.
 2x 12.5Ah (Quick Release)	FD-2001	poa	Battery Pack designed for the FD-2000 and is 2x 12.5Ah Battery specially wired with Snao in plug.
	FD-2002/3	€ 142	Cable to Battery Pack (FD-2001) and Battery Charger/Power Supply







SEQUIRE-4U

Product	Q ORDER CODE	Price	
 Van-Cam by AB Cameras	S-50	poa	S-50 is fitted with Black/White Lens and is powered by a 6Ah Battery (P-21) and has IR (Invisible) Illumination (A-39). The unit is housed in a Leather Case.
 MBS-SA03-01W(SECR) 7.5Ah	S-11 S-11 BW	poa poa	S-11 Colour Lens or S-11 BW Black/White Lens. The unit is powered by a 7.5Ah Battery (P-19) and is housed in a Stainless Steel Case with Key Lock.
 MBS-SA03-01C(SECR) 7.5Ah	S-12 S-12 BW	poa poa	S-12 Colour Lens or S-12BW Black/White Lens is a 2-camera unit and powered by 2x 7.5Ah Batteries (P-19) (one per camera). The units are housed in a Stainless Steel with Key Lock.
 MBS-SA02-04(E) 3Ah	S-13 S-13 BW	poa poa	S-13 Colour Lens or S.13BW Black/White Lens. The unit is designed for corner mounting (i.e. Elevator) and is powered by a 3Ah Battery (P-15). The camera is housed in a Stainless Steel Housing with Key Lock.
 MBS-SA02-03(LSECR) 3Ah	S-20 S-20 BW	poa	S-20 or S-20BW (Colour or Black/White Lens) is supplied with 3Ah Battery (P-15), Remote Controller (A-12), 2GB SD Card (A-21), CD Disk (A-24), Battery Charger (P-02), USB-SD Card Reader (A-22). Housed in a Stainless Steel Housing with Key Lock.
 MBS-SA02-03(LSECR) 3Ah	S-25 S-25 BW	poa	S-25 Colour Lens or S-25BW Black/White Lens. The unit is designed for corner mounting (i.e. Elevator) and is powered by a 3Ah Battery (P-15). The camera is housed in a standard CCTV housing.
	A-90	€ 39	Special Cable to connect from A-66 (external power) for EA-2;3;4
 Aerial Cell Body (Stubby size)	A-91	€ 19	Standard Aerial for Xtern camera with GPRS: Other aerial types are available see KEY201 & KEY203
 MBS-SOB14K-01	A-95	€ 8	Used to Support Camera Board in OEM Application











SEQUIRE-4U

Product	Q ORDER CODE	Price	
 MBS-RCIR-01	A-12	€ 49	Remote Control can be used for several Cameras. Replacement Remote Controllers are possible, but requires cameras to be returned for re-programming a fee applies.
 MBS-SD2G-01 2GB	A-21	€ 16	Guide: A-21 2GB SD Card holds approximately: 32,000 VGA Images or 65,000 QVGA Images. For information a image generated by a Vidilanz Camera is 50Kb.
 MBS-SD8G-01 8GB	A-25	€ 44	Guide: A-25 8GB SD Card holds approximately 130,000 VGA Images or 250,000 QVGA Images.
 MBS-RSD-01	A-22	€ 10	Simple adapter to take SD Cards and plug in to PC USB Port
 MBS-MBW-01	A-29	€ 38	For use with I-01C and I-01BW Camera Boards.
 Wi-Fi MBS-WIFI-01	E-01	poa	Same size as a standard SD Card, but in-built Wi-Fi for image transmission within standard Wi-Fi range.
 MBS-PP-10/2409-01 9V	P-02	€ 19	Only to be used with I.01C & I-01BW camera type products.
 MBS-PP-10/2405-01 5V	P-03	€ 19	Only to be used with any Xtern camera type products and with Rapid Battery Charger (P-04)
 MBS-BC1-02	P-04	€ 59	Can only be used with P-03



SEQUIRE-4U

Product	Q ORDER CODE	Price		
 0.95Ah MBS-BP4-01	P-16	€ 54	All Batteries in this category are: Lithium Ion 3.7V Rechargeable	Typical use for Covert (behind panel) and for Patrol Cam (S-10)
 3Ah MBS-BP2-01	P-15	€ 54		Typical use is for Catch'em-Cam Camera (1-0C & I-0BW)
 6Ah MBS-BP6-01 (SLIM)	P-21	€ 115		Typical use for Covert (behind panel) and for Van-Cam (S-60)
 7.5Ah MBS-BP5-01	P-19	€ 128		Typical use for Xtern Cameras and for Outdoor Wireless IR Spotlight W-20
 12.5Ah MBS-BP3-01	P-20	€ 185		Typical use for long term applications in remote and/or covert applications.
 26Ah MBS-BP7-01	P-22	€ 281		Typical use for long term applications in remote and/or covert applications.









SEQUIRE-4U

Product	Q ORDER CODE	Price	
 20mm Fixing Bolt	KEY030	€ 7	Required to anchor post KEY017 (Long Post) when KEY019 or KEY023 is not applicable
Gatekeeper  Long Post	KEY017	poa	 <p>Use KEY017 in conjunction with either KEY021 or KEY026 to make a Long Post (free-standing). Consider also KEY019 or KEY023</p> <p>By joining KEY017 to KEY021 Gives a Long POST Lockable Mini post for protection of Camera, Batteries for remote sites.</p> <p>90° version of the mini to allow the camera to sit horizontal and look straight down. (image of a 90°)</p>
Gatekeeper  Short Post 45° Tilt	KEY021	poa	
Gatekeeper  Short Post 90° Tilt	KEY026	poa	
 Anchor for Post	KEY019	€ 89	To be used for concrete into soft ground
 Tee Clamp	KEY022	€ 59	Key clamps for Mini Post to bolt on to existing railings or poles
 Post Anchor	KEY023	€ 99	Steel base to go on exiting concrete base.
 Face Plate for Camera	KEY031	€ 39	Vandal Resistant protection face, sits flush with the steel surround with small holes for extreme vandal conditions.
 Ground Spike	KEY040	€ 14	Adjustable Ground spike used with plastic ties and covert covers for rapid deployment









SEQUIRE-4U

Product	Q ORDER CODE	Price	
 Aerial Rectangular	KEY201	€ 39	Low Profile GPRS aerial for bollard 1 dB Gain
 Aerial Cell Body (Stubby size)	KEY202	€ 19	Stubby Aerial as 201 with 2 DB Gain for low signal areas.
 Aerial Coll 1800 (High DB Gain)	KEY203	€ 94	Medium gain OMNI with 10 dB Gain for very low signal areas
 Aerial Yagi GSM5	KEY204	€ 79	High gain directional aerial for bad signal areas.
 Aerial Protection Cage	KEY205	€ 59	To prevent damage to the KEY201 & KEY202
 Connector GPRS Aerial	KEY210	€ 3	GPRS connector to extend out of Xtern case for modem
 Cable Gland Set	KEY211	€ 2	To take cable out of IP65 rated box
 Spider Repeller	KEY400	€ 37	To reduce the spiders web making in remote sites as IR flash from the web reduces night time images

SEQUIRE-4U

Product	Q ORDER CODE	Price	
 Illuminator	KEY500	poa	Power supply for KEY501 . Helios IR-1 Illuminator, A variable focus, 12vDC powered Infra-red Illuminator for external use, IP65 rated.
 Power Supply for Illuminator	KEY501	poa	Variable IR light to solve really poor areas or large areas where internal IR is insufficient. PSU-8, Power supply unit for External Infra red illuminator allowing Power supply reduction from 230volts AC to 12volts DC.
 Lemo Breakout Box	KEY012	poa	Breakout box for 8 PIN Lemo connectors IP68 allows always charging and connection of the entire system, multiple different batteries and cameras, fits inside bollards.
 Lemo Video BNC 5M Cable	KEY013	€ 56	8 Pin Lemo to BCN / 2.1 DC IP68
 Lemo Socket - 30cm Cable	KEY014	€ 19	8 Pin Lemo to connect into camera of Aux box IP68
 Lemo Plug to Plug 5M Cable	KEY015	€ 79	8 Pin Lemo 5 Meter Cable allows Plug and Play in IP68
 Lemo Plug to Socket 5m Cable	KEY016	€ 79	8 Pin Lemo 5 Meter Extension plug to socket.
 Surge Protector	KEY513	€ 69	To prevent lightning strikes causing power surges and damage to the camera board









SEQUIRE-4U

Product	Q ORDER CODE	Price	
 <p>Single Swivel (D1)</p>	KEY250	€ 16	Used to extend from existing key clamp for mini post.
 <p>Wall Plate (D2)</p>	KEY251	€ 20	Key clamp wall mount for mini post.
 <p>Corner 3-Way (D3)</p>	KEY252	€ 18	Easy access to rear of mini bollard over water
 <p>Inline Swivel (D4)</p>	KEY253	€ 12	Easy access to rear of mini bollard over water
 <p>Base Plate (D5)</p>	KEY254	€ 22	Base fixings for Key clamp for mini post when an additional solar panel / Aerial is required.
 <p>Extra Wide Marker</p>	KEY401	€ 99	
 <p>Gauge Board</p>	KEY402	€ 84	
 <p>Board Marker</p>	KEY403	€ 18	

SEQUIRE-4U

Product	Q ORDER CODE	Price	
 Camo Net (Brown)	KEY420	€ 18	Covert - Camouflage Net to cover any X-tern Camera
 Camo Net (Green)	KEY421	€ 18	Covert - Camouflage Net to cover any X-tern Camera
 Battery Charger - UK	KEY001	€ 69	UK Adapter Plug for 5V Vidilanz Products incorporating Rapid Battery Charging 240V/5VDC
 Battery Charger - US	KEY002	€ 69	US Adapter Plug for 5V Vidilanz Products incorporating Rapid Battery Charging 110V/5VDC
 Battery Charger - EU	KEY003	€ 69	EU Adapter Plug for 5V Vidilanz Products incorporating Rapid Battery Charging 220V/5VDC
 6-Battery Chargers & Rack	KEY005	poa	Rack with 6 Battery Chargers (see above) when ordering state type UK/US/EU

SEQUIRE-4U

Product	Q ORDER CODE	Price	
 13Ah 15.6V (NiMH) Hot Swap Battery	KEY300	POA	Designed for the range of Keyhole POSTS, KEY021 & KEY026 (not restricted). With the demands on long-life power in remote locations these batteries are available for many other applications and special housings
 26Ah 9.6V (NiMH) Hot Swap Battery	KEY301	POA	Designed for the range of Keyhole POSTS, KEY021 & KEY026 (not restricted). With the demands on long-life power in remote locations these batteries are available for many other applications and special housings
 36Ah (Lithium Polymer) Super Hot Swap Battery	KEY302	POA	Designed for the range of Keyhole POSTS, KEY021 & KEY026 (not restricted). With the demands on long-life power in remote locations these batteries are available for many other applications and special housings
 54Ah 3.7V (Lithium Polymer) Super Hot Swap Battery	KEY303	POA	Designed for the range of Keyhole POSTS, KEY021 & KEY026 (not restricted). With the demands on long-life power in remote locations these batteries are available for many other applications and special housings
 108Ah 3.7V (Lithium Polymer) Super Hot Swap Battery	KEY305	POA	Designed for the range of Keyhole POSTS, KEY021 & KEY026 (not restricted). With the demands on long-life power in remote locations these batteries are available for many other applications and special housings
 Hot Swap Battery Charger	KEY320	poa	Battery Charger for KEY300
 Hot Swap Battery Charger	KEY321	poa	Battery Charger for KEY303
 Hot Swap Battery Charger	KEY322	poa	Battery Charger for KEY305